


PA PQC Learning Collaborative March 18, 2020




Overview and Updates

Robert Ferguson, MPH, Chief Policy Officer
Jewish Healthcare Foundation





March 2020 Report



HEALTH PLANS

covering 87% of live births in PA

STATEWIDE A CHIEVEMENTS

33 Sites

submitted at least one quality measure through the PA PQC Data Portal

52 Sites

submitted at least one PA PQC survey for all three focus areas

Since April 2019 100+ QI Projects Launched



35 Sites working on SUD QI projects



28 Sites working on NAS QI projects



39 Sites working on maternal mortality QI projects

IMPACT OF PA PQC % of PA PQC Sites JAN-MAR 2019

APR-SEPT 2019

Process to provide ongoing SUD sensitivity training requirements for staff

30%

Used a validated, self-report screening tool for substance use in pregnancy 48%

65%

Developed clinical pathways/order sets for pregnant women with OUD

35%

46%

Evaluated risk or level of maternity care needed

70%



89%

Accomplishments

Preliminary analysis of the sites' baseline (either Jan to March or April to September) and time 3 (October to December)

	Baseline (% of sites)	Time 3 (% of sites)
Process in place to provide ongoing SUD sensitivity training requirements for staff and providers	4%	34%
Used a validated, self-report screening tool for substance use in pregnancy	46%	66%
Provide opioid pharmacotherapy for maternal OUD	54%	62%
Developed clinical pathways/order sets for pregnant women with OUD	39%	55%

- In response to the equity presentation by Dr. James at the last session:
 - Worked with AccessMatters to organize regional implicit bias trainings (on hold due to COVID-19)
 - Created a team exercise to help your team apply an equity lens to your QI work (https://www.whamglobal.org/march-18th-2020-learning-collaborative)
 - Identifying a pathway to focus on maternal mortality and morbidity disparities

- Organized buprenorphine waiver trainings with ASAM/ACOG for 4/12 and 5/23 (rescheduling)
- Added Virtual QI Collaborative Meetings on 4/18 (*NAS inter-rater reliability*), 5/13, 7/8, 8/12, & 10/14 from 11 am to 12 pm

- Streamlined data collection efforts in the PA PQC:
 - Revised specifications for the OUD and NAS quality measures and aligned them with the updated ONAF and NAS Notification Form (https://www.whamglobal.org/data-collection)
 - Reduced the OUD, NAS, and Maternal Mortality surveys to 10 questions each (https://www.whamglobal.org/data-collection)
 - Updating the PA PQC Data Portal to match the revisions and differentiate between monthly and quarterly data submissions

Announced an opportunity for PA PQC hospitals to apply for \$15,000 sub-awards by March 23 (https://www.whamglobal.org/papqc)

PA PQC Updates: Policy Group

- Gained consensus on standards of care and quality measures for maternity value-based payment models (https://www.whamglobal.org/resources)
- Organized a Rural Health Policy Sub-Group that will submit comments by April 12 (email ferguson@jhf.org to join)

PA PQC Future Directions

- ✓ Launching an Immediate Postpartum LARC pilot in April with three pilot sites
- ✓ Submitting an application to become an AIM State

3/18 Learning Objectives

- Describe improvement opportunities around maternal mortality and STI screening and response
- Describe how to leverage the ONAF to improve patient care
- Describe how to apply quality improvement principles to rollout a QI project, form and activate a team, and display and use data
- Describe examples of QI plans from the ILPQC around Mothers and Newborns Affected by Opioids, Immediate Postpartum LARC, Improving Postpartum Access to Care, and Severe Maternal Hypertension

3/18 Learning Objectives (cont.)

- Describe strategies from other PA PQC sites in response to a challenge that your PA PQC team is experiencing
- Discuss best practices from peers for:
 - ✓ screening pregnant women for SUD
 - assessing readiness for and initiating MAT
 - helping women with SUD navigate community and county resources
 - ✓ adopting non-pharmacologic NAS treatment bundles, and
 - ✓ increasing ACOG Fourth Trimester contacts to reduce maternal mortality and disparities

Continuing Education Information

In support of improving patient care, this activity has been planned and implemented by the University of Pittsburgh and The Jewish Healthcare Foundation. The University of Pittsburgh is jointly accredited by the Accreditation Council for Continuing Medical Education (ACCME) and the American Nurses Credentialing Center (ANCC), to provide continuing education for the healthcare team. **5.25 hours are approved for this course.**

As a Jointly Accredited Organization, University of Pittsburgh is approved to offer social work continuing education by the Association of Social Work Boards (ASWB) Approved Continuing Education (ACE) program. Organizations, not individual courses, are approved under this program. State and provincial regulatory boards have the final authority to determine whether an individual course may be accepted for continuing education credit. University of Pittsburgh maintains responsibility for this course. Social workers completing this course receive **5.25 continuing education credits**.

Disclosures

No members of the planning committee, speakers, presenters, authors, content reviewers and/or anyone else in a position to control the content of this education activity have relevant financial relationships with any entity producing, marketing, re-selling, or distributing health care goods or services, used on, or consumed by, patients to disclose.

Disclaimer

The information presented at this Center for Continuing Education in Health Sciences program represents the views and opinions of the individual presenters, and does not constitute the opinion or endorsement of, or promotion by, the UPMC Center for Continuing Education in the Health Sciences, UPMC / University of Pittsburgh Medical Center or Affiliates and University of Pittsburgh School of Medicine. Reasonable efforts have been taken intending for educational subject matter to be presented in a balanced, unbiased fashion and in compliance with regulatory requirements. However, each program attendee must always use his/her own personal and professional judgment when considering further application of this information, particularly as it may relate to patient diagnostic or treatment decisions including, without limitation, FDA-approved uses and any off-label uses.